

porcelain◀iles

porcelain◀iles

THE COLLECTION

100% DESIGN EDITION - 2015

THANK YOU FOR VISITING

porcelain◀iles



INTRODUCING TEMPTATION

With its origins in the art world, the Temptation range is perfectly suited to contemporary creative spaces. A fusion of cement and stone and available in 1200mm x 2400mm and 1200mm x 1200mm slabs, Temptation features accurate shading and authentically irregular patterns and is accompanied by two strikingly artistic decor tiles. These large format graphical tiles embody the creative “drip-painting” style reminiscent of the abstract expressionist movement and with two natural shades to choose from, are the perfect example of form following function.



TEMPTATION - WISE

[CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES](#)



[CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES](#)



CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

TEMPTATION - WISE

TEMPTATION COLOURS & STYLES



FINE



WISE

TEMPTATION DECORS



FINE DECOR



WISE DECOR

TEMPTATION AT A GLANCE



COLOURS



FINISH



SIZES



SLIP RATING



VARIATION

SIZES & SPECIFICATION

COLOUR

FINE | WISE

FINE | WISE

FINISH

NATURAL

NATURAL

SIZE (MM)

1200 X 2400 X 6.5

1200 X 1200 X 6.5

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

TEMPTATION DECORS

DETAIL	COLOUR	FINISH	SIZE (MM)
PAINT DÉCOR	FINE I WISE	NATURAL	1200 X 1200 X 6.5

TEMPTATION SPECIAL PIECES & MOSAICS

DETAIL	COLOUR	FINISH	SIZE (MM)
SKIRTING TILE	FINE I WISE	NATURAL	80 X 1200 X 6.5
STEP TILE - GRADINO LINEARE L	FINE I WISE	NATURAL	330 X 1200 X 50
STEP TILE - GRADINO ANGOLARE L	FINE I WISE	NATURAL	330 X 1200 X 50

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

TEMPTATION TECHNICAL DATA

SPECIFICATION

- WATER ABSORPTION
- BENDING STRENGTH
- DEEP ABARASION RESISTANCE
- THERMAL SHOCK RESISTANCE
- FROST RESISTANCE
- CHEMICAL RESISTANCE
- STAIN RESISTANCE
- SLIP RESISTANCE

TEST METHODS

- ISO 10545-3
- ISO 10545-4
- ISO 10545-6
- ISO 10545-9
- ISO 10545-12
- ISO 10545-13
- ISO 10545-14
- DIN 51130

REQUIRED VALUE

- ≤ 0.1%
- ≥50N/MM²
- 145MM³
- RESISTANT
- FROST PROOF
- UA; ULA; UHA
- CLASS 5
- R10

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES



INTRODUCING TRIO

Radiating a beautifully warm patina, Trio, our latest timber replica tile range effortlessly combines authentic charm with practical versatility. Available in three useful sizes, including wide planks of 225mm x 1800mm ideal for both open room layouts and high traffic areas. Trio also comes in substantial 20mm deep 197mm x 1200mm medium planks and 600mm x 600mm slabs. These 20mm thick frost-resistant outdoor slabs can be laid on to pedestals, making the tiles ideal for use on roof terraces and balconies. They can also be laid directly on to stone chippings and gravel, helping to speed up the laying process and providing the perfect solution for when slabs may need to be removed at a later date. With three natural colours, Oak, Nut and Smoke, Trio displays realistic knots and authentic graining, perfect for where a durable and maintenance free wood floor is required.



TRIO - SMOKE

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES



TRIO - FLOOR: NUT AND WALL: SMOKE



TRIO - NUT

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES



[CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES](#)

TRIO - OAK



TRIO - NUT 60X60 AND SMOKE 19X120



TRIO - OAK

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

TRIO COLOURS & STYLES



SMOKE NATURAL



OAK NATURAL



NUT NATURAL



SMOKE GRIP



OAK GRIP



NUT GRIP

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

TRIO AT A GLANCE



COLOURS



FINISHES



SIZES



NATURAL



GRIP



VARIATION

TRIO SIZES & SPECIFICATION

COLOUR	FINISH	SIZE (MM)
SMOKE OAK NUT	NATURAL	225 X 1800 X 10
SMOKE OAK NUT	NATURAL	197 X 1200 X 10
SMOKE OAK NUT	GRIP	197 X 1200 X 20
SMOKE OAK NUT	GRIP	600 X 600 X 20

TRIO SPECIAL PIECES & MOSAIC

DETAIL	COLOUR	FINISH	SIZE(MM)
SKIRTING TILE	SMOKE OAK NUT	NATURAL	40 X 600
SKIRTING TILE	SMOKE OAK NUT	NATURAL	72 X 600
STEP TILE - GRADINO A	SMOKE OAK NUT	NATURAL	300 X 1200

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

TRIO TECHNICAL DATA

PHYSICAL PROPERTIES

SIDES

THICKNESS

STRAIGHTNESS OF SIDES

RECTANGULARITY

SURFACE FLATNESS

WATER ABSORPTION

FLEXION RESISTANCE

IMPACT RESISTANCE

ABRASION RESISTANCE

COEFFICIENT OF LINEAR THERMAL-EXPANSION

RESISTANCE TO THERMAL SHOCKS

FROST RESISTANCE

RESISTANCE TO CHEMICALS

RESISTANCE TO STAINS

LEAD AND CADMIUM DISCHARGE

SLIP RESISTANCE

STANDARD OF TEST

EN ISO 10545-2

EN ISO 10545-2

EN ISO 10545-2

EN ISO 10545-2

EN ISO 10545-2

EN ISO 10545-3

EN ISO 10545-4

EN ISO 10545-5

EN ISO 10545-6

EN ISO 10545-8

EN ISO 10545-9

EN ISO 10545-12

EN ISO 10545-13

EN ISO 10545-14

EN ISO 10545-15

DIN 51130

REQUIRED VALUE

± 0.6% MAX (± 2.0 MM MAX)

± 5.0% MAX (± 0.5 MM MAX)

± 0.5% MAX (± 1.5 MM MAX)

± 0.6% MAX (± 2.0 MM MAX)

± 0.5% MAX (± 2.0 MM MAX)

≤ 0.5%

S ≥ 700 N (< 7.5 MM)

S ≥ 1.300 N (> 7.5 MM)

R ≥ 35 N/MM²

DECLARED VALUE

≤ 175 MM³

—

PASS ACCORDING EN ISO 10545-1

PASS ACCORDING EN ISO 10545-1

UB MIN.

DECLARED VALUE

DECLARED VALUE

-

MANUFACTURERS MEAN VALUES

COMPLIES

COMPLIES

COMPLIES

COMPLIES

COMPLIES

0.04%

S 2.767 N

R ≥ 54.4 N/MM² (197X1200 SIZE)

0.89

130 MM³

AVAILABLE ON REQUEST

NO DAMAGE

NO DAMAGE

UA ULA UHA

5

< THAN INSTRUMENT LIMIT

NATURAL: R9

GRIP: R11

For specific certificates, we can provide them on request

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES



INTRODUCING HERITAGE

With rustic 3d textures and authentic stone shades the Heritage Range combines modern tile technology with traditional stonemasonry. Dramatic stone effect tiles are presented in traditional geometrical shapes, accompanied by an exciting range of special pieces and rugged feature tiles. Available in five colours and four sizes including 600mm x 600mm, 800mm x 800mm and 450mm x 900mm (all with rectified edges), the Heritage Range embodies traditional architectural materials for use in contemporary projects.



CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES



HERITAGE - SOFT



HERITAGE - PIOMBO



HERITAGE - AZUL

[CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES](#)



CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

HERITAGE - CALCE

HERITAGE COLOURS & STYLES



SOFT




CALCE



AZUL



PIOMBO



GRAPHITE

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

HERITAGE DECORS



INCISO



MIX - COLD/WARM



MURETTO

HERITAGE MOSAIC



MOSAIC

HERITAGE AT A GLANCE



COLOURS



FINISHES



SIZES



NATURAL



GRIP



VARIANCE

SIZE & SPECIFICATIONS

COLOUR

SOFT | CALCE | AZUL | PIOMBO | GRAPHITE
SOFT | CALCE | AZUL | PIOMBO | GRAPHITE
CALCE | AZUL | PIOMBO
SOFT | CALCE | AZUL | PIOMBO | GRAPHITE
SOFT | CALCE | AZUL | PIOMBO | GRAPHITE

FINISH

NATURAL | HONED | STRUCTURED
NATURAL | HONED
GRIP
NATURAL | HONED
NATURAL | HONED

SIZE(MM)

300 X 600 X 11
450 X 900 X 11
450 X 900 X 20
600 X 600 X 9.5
800 X 800 X 11

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

HERITAGE DECORS

DETAIL	COLOUR	FINISH	SIZE(MM)
MURETTO	SOFT CALCE AZUL PIOMBO GRAPHITE	NATURAL	300 X 600 X 11
MIX	COLD WARM	NATURAL	300 X 600 X 11
INCISO	SOFT CALCE AZUL PIOMBO GRAPHITE	NATURAL	300 X 600 X 11

HERITAGE SPECIAL PIECES & MOSAIC

DETAIL	COLOUR	FINISH	SIZE(MM)
MOSAIC (CHIP SIZE 55X55MM)	AZUL CALCE GRAPHITE PIOMBO SOFT	NATURAL	300 X 300 X 9.5
SKIRTING TILE	AZUL CALCE GRAPHITE PIOMBO SOFT	HONED	70 X 900 X 11
SKIRTING TILE	AZUL CALCE GRAPHITE PIOMBO SOFT	NATURAL	70 X 900 X 11
SKIRTING TILE	AZUL CALCE GRAPHITE PIOMBO SOFT	HONED	80 X 800 X 11
SKIRTING TILE	AZUL CALCE GRAPHITE PIOMBO SOFT	NATURAL	80 X 800 X 11
SKIRTING TILE	AZUL CALCE GRAPHITE PIOMBO SOFT	HONED	80 X 600 X 9.5
SKIRTING TILE	AZUL CALCE GRAPHITE PIOMBO SOFT	NATURAL	80 X 600 X 9.5
STEP TILE - ELEMENTO L	AZUL CALCE PIOMBO	GRIP	300 X 900 X 20
STEP TILE - GRADINO	AZUL CALCE GRAPHITE PIOMBO SOFT	HONED	300 X 600 X 9.5
STEP TILE - GRADINO	AZUL CALCE GRAPHITE PIOMBO SOFT	NATURAL	300 X 600 X 9.5
STEP TILE - GRADONE	AZUL CALCE PIOMBO	GRIP	450 X 900 X 20



INTRODUCING ONYX SENSE

Celebrating the translucence and beauty of Onyx stone, this highly polished range of porcelain tiles allows light to bounce across its surface, creating a warm and welcoming environment. Onyx Sense displays the wide variation and natural banding associated with this precious material, but without any of the maintenance issues normally associated with its natural counterpart.

Onyx Sense is available in five sizes including large format 1500mm x 3000mm slabs and by employing the latest compaction technology, is only 6mm thick, making this premium collection perfectly suited to both wall and floor coverings.



CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

ONYX SENSE - GRIGIO



ONYX SENSE - SULTANO



ONYX SENSE - PERLA

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES



[CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES](#)




CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

ONYX SENSE - BIANCO (FLOOR), SULTANO (WALL)


ONYX SENSE COLOURS & STYLES



BIANCO – NATURAL




SULTANO – NATURAL



GRIGIO – NATURAL




PERLA – NATURAL




ORO – NATURAL



BIANCO – POLISHED



SULTANO – POLISHED



GRIGIO – POLISHED



PERLA – POLISHED



ORO – POLISHED

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

ONYX SENSE AT A GLANCE



COLOURS



FINISHES



SIZES



NATURAL



BIANCO | SULTANO



GRIGIO | ORO | PERLA

SIZES & SPECIFICATION

COLOUR

BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO
BIANCO | GRIGIO | ORO | PERLA | SULTANO

FINISH

NATURAL
POLISHED
NATURAL
POLISHED
NATURAL
POLISHED
NATURAL
POLISHED
NATURAL
POLISHED

SIZE (MM)

1500 X 3000 X 6
1500 X 3000 X 6
1500 X 1500 X 6
1500 X 1500 X 6
750 X 1500 X 6
750 X 1500 X 6
750 X 750 X 6
750 X 750 X 6
375 X 750 X 6
375 X 750 X 6

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

ONYX SENSE TECHNICAL DATA

SPECIFICATION	TEST METHODS	REQUIRED VALUE	MANUFACTURERS VALUE
LENGTH AND WIDTH	ISO 10545-2	± 0.6% MAX	± 0.1% / ± 0.5MM
THICKNESS	ISO 10545-2	± 5% MAX	± 3%
LINEARITY	ISO 10545-2	± 0.5% MAX	± 0.1% / ± 0.5MM
WEDGING	ISO 10545-2	± 0.6% MAX	± 0.1% / ± 1MM
WARPAGE	ISO 10545-2	± 0.5% MAX	± 0.2%
WATER ABSORBTION	ISO 10545-3	≤ 0.5%	CONFORMS
DEEP ABRASION RESISTANCE	ISO 10545-6	VOLUME ≤ 175MM ³	≥ 142MM ³
COEFFICIENT OF LINEAR THERMAL-EXPANSION	ISO 10545-8	ON REQUEST	ON REQUEST
FROST RESISTANCE	ISO 10545-12	MUST NOT PRODUCE NOTICEABLE ALTERATION TO SURFACE	FROST-PROOF
CHEMICAL RESISTANCE	ISO 10545-13	MUST NOT PRODUCE NOTICABLE SIGNS OF CHEMICAL ATTACK	CONFORMS
STAIN RESISTANCE	ISO 10545-14	TESTING METHOD AVAILABLE	RESISTANT TO STAIN
FRICTION COEFFICIENT (SLIPPERINESS)	DIN 51130	TEST METHOD AVAILABLE	NATURAL: R9

CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES

TILE SAMPLES

All tile samples are FREE including postage and are sized in 120mm x 120mm or 150mm x 150mm formats. Smaller samples are delivered by Royal Mail, larger samples are delivered by courier service. For better representation of our more complex or subtle patterned tiles, 150mm x 300mm format samples will be sent. You can order any number of samples at any one time. Please note due to natural colour variations, differences in shade can occur.

[CLICK FOR MORE PHOTOS AND TO ORDER SAMPLES](#)

Porcelain Tiles Ltd

23 Temple Fortune Parade

Finchley Road

London NW11 0QS

020 8731 6787

enquiry@porcelain-tiles.co.uk

www.porcelain-tiles.co.uk

porcelain◀▶**tiles**
COMMITTED TO INSPIRE