Jura Stone

Stone Collection

PORCELAINTILES




Jura Stone

Stone Collection

The Jura Stone Collection draws inspiration from the origins of Earth, embodying the raw beauty of early rock formations. Available in four neutral hues, each one captures intricate rock compositions and authentic textures that provide unexpected visual complexity. With its rich character, Jura Stone serves as an ideal backdrop for contemporary design, seamlessly complementing both interior and exterior spaces. Designed to enhance architectural features, Jura Stone offers a range of practical formats including large-format slabs that can be used to clad a variety of horizontal and vertical surfaces. For added depth and texture, the decorative Ritmo variant brings a tactile element, infusing spaces with a dynamic and layered aesthetic. Whether used for residential or commercial projects, Jura Stone introduces a refined connection to nature's enduring beauty.



Jura Stone



1200 x 2780 x 6



Jura Stone Sabbia



1200 x 2780 x 6







Provence
Grigio Calcre





Provence Roccia Fossile

Colours




Colours

COLOUR	FINISH	SIZE(MM)
Calce Bianca Sabbia	Natural	1200 x 2780 x 6
Calce Bianca Grigio Calcare Roccia Fossile Sabbia	Natural R10	1200 x 1200 x 9
Calce Bianca Sabbia	Natural R11	1200 x 1200 x 9
Calce Bianca Grigio Calcare Roccia Fossile Sabbia	Natural R10	600 x 1200 x 9
Calce Bianca Grigio Calcare Roccia Fossile Sabbia	Natural R11	600 x 1200 x 9
Calce Bianca Grigio Calcare Sabbia	Grip	1000 x 1000 x 20
Calce Bianca Grigio Calcare Sabbia	Natural R10	1000 x 1000 x 9
Calce Bianca Grigio Calcare Roccia Fossile Sabbia	Natural R10	600 x 600 x 9
Calce Bianca Grigio Calcare Roccia Fossile Sabbia	Natural R10	300 x 600 x 9



Size Guide (mm)



Decors



Colour Finish Size (MM) Decor Calce Bianca | Grigio Calcare | Roccia Fossile | Sabbia Natural R10 600 x 1200 x 9 Ritmo

Special Pieces & Mosaic




Colour Finish Size (MM) Special Piece
Calce Bianca | Grigio Calcare | Roccia Fossile | Sabbia Natural R10 300 x 300 x 9 Mosaic (48x48mm)



Shade Tone Variance

Shade, texture and tone can vary from piece to piece within a single tile production run. V1 shade tone variation has little or no change from piece to piece where a V4 might have a substantial variety of shade, texture and tone variation.



VARIANCE RATING	DESCRIPTION	
V1	Uniform Appearance	
V2	Slight Variation	
V3	Moderate Variation	
V4	Substantial Variation	

COLOUR	VARIANCE
Calce Bianca	V3
Grigio Calcare	V3
Roccia Fossile	V3
Sabbia	V3

Ramp Test Values (DIN 51130)

DIN Standard Ramp Testing (DIN 51130) is an alternative to Pendulum Testing and generally categorised as an 'off-site' activity because of the size and complexity of the equipment required to carry out the test. The Slip Resistance Values (RSV) are factory gate values (based on supplied tiles) and categorised using the Ramp Test (DIN 51130) method which is commonly used by European factories. In this method, a lubricated inclined platform is adjusted to a gradually increasing gradient, and the angle is measured at which a person walking on it slips.

R RATING VALUE	FRICTION	
R 9	Minimal	
R1O	Normal	
R11	Good	
R12	Good	
R13	Very High	

COLOUR	FINISH/STYLE	R RATING VALUE	FRICTION
Calce Bianca	Grip	R11	Good
Calce Bianca	Natural	R10	Normal
Calce Bianca	Natural R10	R10	Normal
Calce Bianca	Natural R11	R11	Good
Grigio Calcare	Grip	R11	Good
Grigio Calcare	Natural R10	R10	Normal
Grigio Calcare	Natural R11	R11	Good
Roccia Fossile	Natural R10	R10	Normal
Roccia Fossile	Natural R11	R11	Good
Sabbia	Grip	R11	Good
Sabbia	Natural	R10	Normal
Sabbia	Natural R10	R10	Normal
Sabbia	Natural R11	R11	Good

18

Technical Details

PHYSICAL PROPERTIES	STANDARD OF TEST	REQUIRED VALUE	MANUFACTURERS MEAN VALUES
Length and Width	ISO 10545-2	± 0.6% Max	± 0.1%
Thickness	ISO 10545-2	± 5% Max	± 5%
Linearity	ISO 10545-2	± 0.5% Max	± 0.1%
Wedging	ISO 10545-2	± 0.5% Max	± 0.1%
Warpage	ISO 10545-2	± 0.5% Max	± 0.2%
Water Absorption	ISO 10545-3	≤ 0.5 %	0.03% - 0.06%
Deep Abrasion Resistance	ISO 10545-6	≤ 175 Mm³	140 Mm ³
Coefficient of Linear Thermal Expansion	ISO 10545-8	≤ 9x10-6 °C-1	6.5x10-6 °C-1
Resistance to Thermal Shocks	ISO 10545-9	Testing Method Available	Resistant
Frost Resistance	ISO 10545-12	Must not produce noticeable	
		alteration to surface	Conforms
Chemical Resistance	ISO 10545-13	Testing Method Available	On Request
Stain Resistance	ISO 10545-14	Testing Method Available	Resistant To Stain
Colour Resistance to Light	DIN 51094	Must not produce noticeable	
		colour variation	Conforms



Environmental Certification



LEED® certification provides independent, third party verification that a building project meets the highest green building and performance measure. All certified projects receive a LEED® plaque, which is nationally recognised symbol demonstrating that a building us environmentally responsible, profitable and a healthy place to live and work. The environmental characteristics have been evaluated and found according to the requirements of content of recycled material for environmental assessment according to LEED® criteria. These products contribute to the increase in the LEED® rating of buildings where they are used.



The EU Ecolabel helps you identify products and services that have a reduced environmental impact throughout their life cycle, from the extraction of raw material through to production, use and disposal. Recognised throughout Europe, EU Ecolabel is a voluntary label promoting environmental excellence which can be trusted. Ecolabel certification applies to building products such as ceramic tiles for residential and public flooring and wall- covering. The commission in charge of the certification system measures the environmental impact caused by the entire productive cycle; in the case of ceramic tiles, the verification starts from raw material quarrying through to manufacturing, distribution, installation and their final disposal. Our factories conform and are certified by the European Community standard Ecolabel and the production process is in complete harmony with the Ecolabel certification.



GREENGUARD Certification ensures that a product meets stringent standards for minimal emissions of volatile organic compounds (VOCs) into indoor air. This program provides assurance that products designed for indoor use adhere to strict chemical emissions limits, fostering the creation of healthier interiors. Manufacturers with GREENGUARD Certification gain credibility for their sustainability claims, supported by empirical technical data from an unbiased third-party organisation. The GREENGUARD Certification Program instills confidence by ensuring that indoor products meet strict chemical emissions limits, contributing to the creation of healthier interior spaces. This empowers manufacturers to produce and customers to identify products with low chemical emissions, thereby supporting air quality and environmental well-being.



NSF® has facilitated the development of more than 75 standards and protocols for sanitary food equipment, and has certified thousands of products as safe to use in restaurant and commercial kitchen settings. NSF® food equipment standards include requirements for material safety, design, construction and product performance. The products conform to the requirements of NSF/ANSI Standard 51 – Food Equipment Materials. NSF/ANSI 51 establishes minimum public health and sanitation requirements for materials and finishes used in the manufacture of commercial foodservice equipment



An Environmental Product Declaration (EPD) is a concise document that transparently communicates the environmental performance of a product throughout its life cycle. It provides comprehensive information about the product's environmental impact, including aspects such as raw material extraction, production processes, energy consumption, and emissions. EPDs are based on standardised methodologies and enable consumers, businesses, and policymakers to make informed decisions by considering the environmental aspects of a product in a systematic and comparable way.

PORCELAINTILES

North London Showroom
23 Temple Fortune Parade
Finchley Road
London NW11 0QS
020 3141 3337

South London Showroom

88 High Street Wimbledon

London SW19 5EG

020 3141 3337

www.porcelaintiles.co.uk

enquiry@porcelaintiles.co.uk

The information printed in this brochure is as accurate as possible at the time of printing, but should not be considered as legally binding. The company reserves the right to modify, change, or cancel the content of this brochure without prior notice. The technical details mentioned cancel and replace the ones reported previously and where dimensions or sizes are specified, they shall be deemed to be nominal. The images, colours and finishes featured are for illustrative purposes only and may feature products that are not currently available. ©Porcelain Tiles Ltd – All rights reserved. V.25.094