

The background of the entire image is a dark, high-contrast marbled pattern. It features swirling, organic shapes in various shades of black, dark grey, and charcoal, creating a complex, stone-like texture. The pattern is dense and covers the entire frame.

# Timeless

Stone Collection

P O R C E L A I N   T I L E S





Timeless - Talco Structured



# Timeless


## Stone Collection

A subtle interpretation of natural stone and available in five neutral tones, Timeless is an enduring and atmospheric range, exclusive to our Stone Collection. With four sizes and three finishes, Timeless has the charm for contemporary living and the strength for larger commercial spaces. Available in Natural, Polished and Structured (R11 slip rated) finishes, Timeless is ideally suited to both indoor and outdoor applications. The Structured finish in particular, with its precise ridges, is ideal for a wet room or pool complex and has helped Timeless become one of our most popular collections.

Timeless is also accompanied by imposing decorative pieces, including the three-dimensional surfaces of 'Muretto' and unique to this range, '3D Design'.

5 COLOURS | 4 SIZES | 3 FINISHES





Timeless  
Bindo






Timeless  
**Carbonio**







Timeless  
Cotone



Timeless  
Talco





Timeless  
Vezio











Colours



Bindo



Carbonio



Cotone



Talco




Vezio



# Colours

COLOUR	FINISH	SIZE(MM)
Carbonio	Natural	800 x 800 x 11
Carbonio   Vezio	Polished	800 x 800 x 11
Bindo   Carbonio   Cotone   Talco   Vezio	Natural	600 x 600 x 9.5
Carbonio   Cotone	Polished	600 x 600 x 9.5
Bindo   Carbonio   Cotone   Talco   Vezio	Natural	300 x 600 x 9.5
Bindo   Carbonio   Cotone   Vezio	Polished	300 x 600 x 9.5
Bindo   Carbonio   Cotone   Talco   Vezio	Structured	300 x 600 x 9.5
Bindo   Carbonio   Cotone   Talco   Vezio	Natural	100 x 300 x 9.5

## Size Guide (mm)







# Special Pieces




Bindo Mosaic  
58x58mm




Carbonio Mosaic  
58x58mm



Cotone Mosaic  
58x58mm



Talco Mosaic  
58x58mm



Vezio Mosaic  
58x58mm



# Special Pieces

COLOUR	FINISH	SIZE(MM)	DETAIL
Bindo   Carbonio   Cotone   Talco   Vezio	Natural	300 x 600 x 9.5	Step Tile - Gradino
Bindo   Carbonio   Cotone   Talco   Vezio	Natural	80 x 600 x 9.5	Skirting Tile
Bindo   Carbonio   Cotone   Talco   Vezio	Natural	300 x 300 x 9.5	Mosaic (Chip Size 58x58mm)




# Timeless 3D Design

Unique to Timeless is 3D Design, with its 3D surfaces capturing the light throughout the day creating a contemporary wall of contrasting facets. This captivating 300 x 600 mm tile is offered in all five colourways.



Bindo  
3D Design



Carbonio  
3D Design



Cotone  
3D Design



Talco  
3D Design



Vezio  
3D Design

## COLOUR

Bindo | Carbonio | Cotone | Talco | Vezio

## FINISH

Natural

## SIZE(MM)

300 X 600 X 9.5

## DETAIL

3D Design



# Timeless Muretto

The Muretto option is particularly effective within Timeless and will transform any space when used as a high impact feature wall or dramatic focal point. Available in five colourways Muretto is supplied on 300 x 600 mm tiles.



Bindo Muretto



Carbonio Muretto



Cotone Muretto



Talco Muretto



Vezio Muretto

## COLOUR

Bindo | Carbonio | Cotone | Talco | Vezio

## FINISH

Natural

## SIZE(MM)

300 X 600 X 9.5

## DETAIL

Muretto








# Technical Details

SPECIFICATION	TEST METHODS	REQUIRED VALUE	MANUFACTURERS MEAN VALUES
Length And Width	ISO 10545-2	±0.6%	Conforms
Thickness	ISO 10545-2	±5%	Conforms
Warpages Of Edges	ISO 10545-2	±0.5%	Conforms
Wedging	ISO 10545-2	±0.5%	Conforms
Flatness	ISO 10545-2	±0.5%	Conforms
Water Absorption	ISO 10545-3	≤ 0.5%	Conforms
Bending Strength	ISO 10545-4	≥35N/Mm²	Conforms
Linear Thermal Expansion Between 20C And 100C	ISO 10545-8	According To Manufacturers Specifications	On Request
Thermal Shock Resistance	ISO 10545-9	On Request	Resistant
Frost Resistance	ISO 10545-12	On Request	Resistant
Resistance To Chemical Attack	ISO 10545-13	According To Manufacturers Specifications	Resistant
Stain Resistance	ISO 10545-14	Test Method Available	Conforms
Slip Resistance	DIN 51130	-	Natural - R10



# Shade Tone Variance

Shade, texture and tone can vary from piece to piece within a single tile production run. V1 shade tone variation has little or no change from piece to piece where a V4 might have a substantial variety of shade, texture and tone variation.



VARIANCE RATING	DESCRIPTION
V1	Uniform Appearance
V2	Slight Variation
V3	Moderate Variation
V4	Substantial Variation

COLOUR	VARIANCE
Carbonio	V4
Cotone	V4
Vezio	V4

# Ramp Test Values (DIN 51130)

DIN Standard Ramp Testing (DIN 51130) is an alternative to Pendulum Testing and generally categorised as an ‘off-site’ activity because of the size and complexity of the equipment required to carry out the test. The Slip Resistance Values (RSV) are factory gate values (based on supplied tiles) and categorised using the Ramp Test (DIN 51130) method which is commonly used by European factories. In this method, a lubricated inclined platform is adjusted to a gradually increasing gradient, and the angle is measured at which a person walking on it slips.

R RATING VALUE	FRICTION
R9	Minimal
R10	Normal
R11	Good
R12	Good
R13	Very High

COLOUR	FINISH/STYLE	R RATING VALUE	FRICTION
Bindo	Natural	R10	Normal
Bindo	Structured	R11	Good
Carbonio	Natural	R10	Normal
Carbonio	Structured	R11	Good
Cotone	Natural	R10	Normal
Cotone	Structured	R11	Good
Talco	Natural	R10	Normal
Talco	Structured	R11	Good
Vezio	Natural	R10	Normal
Vezio	Structured	R11	Good





Timeless - Carbone (floor), 3D Design (wall)



# Environmental Certification



LEED® certification provides independent, third party verification that a building project meets the highest green building and performance measure. All certified projects receive a LEED® plaque, which is nationally recognised symbol demonstrating that a building is environmentally responsible, profitable and a healthy place to live and work. The environmental characteristics have been evaluated and found according to the requirements of content of recycled material for environmental assessment according to LEED® criteria. These products contribute to the increase in the LEED® rating of buildings where they are used.



The EU Ecolabel helps you identify products and services that have a reduced environmental impact throughout their life cycle, from the extraction of raw material through to production, use and disposal. Recognised throughout Europe, EU Ecolabel is a voluntary label promoting environmental excellence which can be trusted. Ecolabel certification applies to building products such as ceramic tiles for residential and public flooring and wall-covering. The commission in charge of the certification system measures the environmental impact caused by the entire productive cycle; in the case of ceramic tiles, the verification starts from raw material quarrying through to manufacturing, distribution, installation and their final disposal. Our factories conform and are certified by the European Community standard Ecolabel and the production process is in complete harmony with the Ecolabel certification.



GREENGUARD Certification ensures that a product meets stringent standards for minimal emissions of volatile organic compounds (VOCs) into indoor air. This program provides assurance that products designed for indoor use adhere to strict chemical emissions limits, fostering the creation of healthier interiors. Manufacturers with GREENGUARD Certification gain credibility for their sustainability claims, supported by empirical technical data from an unbiased third-party organisation. The GREENGUARD Certification Program instills confidence by ensuring that indoor products meet strict chemical emissions limits, contributing to the creation of healthier interior spaces. This empowers manufacturers to produce and customers to identify products with low chemical emissions, thereby supporting air quality and environmental well-being.



NSF® has facilitated the development of more than 75 standards and protocols for sanitary food equipment, and has certified thousands of products as safe to use in restaurant and commercial kitchen settings. NSF® food equipment standards include requirements for material safety, design, construction and product performance. The products conform to the requirements of NSF/ANSI Standard 51 – Food Equipment Materials. NSF/ANSI 51 establishes minimum public health and sanitation requirements for materials and finishes used in the manufacture of commercial foodservice equipment.



An Environmental Product Declaration (EPD) is a concise document that transparently communicates the environmental performance of a product throughout its life cycle. It provides comprehensive information about the product's environmental impact, including aspects such as raw material extraction, production processes, energy consumption, and emissions. EPDs are based on standardised methodologies and enable consumers, businesses, and policymakers to make informed decisions by considering the environmental aspects of a product in a systematic and comparable way.



# P O R C E L A I N T I L E S

North London Showroom  
23 Temple Fortune Parade  
Finchley Road  
London NW11 0QS  
020 3141 3337

[www.porcelaintiles.co.uk](http://www.porcelaintiles.co.uk)

South London Showroom  
88 High Street Wimbledon  
London SW19 5EG  
020 3141 3337

[enquiry@porcelaintiles.co.uk](mailto:enquiry@porcelaintiles.co.uk)