

The background of the entire image is a dark, monochromatic pattern of travertine stone. The pattern consists of irregular, vein-like shapes in shades of black and dark grey, set against a slightly lighter, charcoal grey background. The overall effect is a textured, organic, and somewhat abstract representation of natural stone.

Travertine Sense

Stone Collection

P O R C E L A I N T I L E S



Travertine Sense - Ebur Vein & Ebur Wave

Travertine Sense

Stone Collection

Meet Travertine Sense, a collection of porcelain surfaces that effortlessly blend natural charm with functional design. Drawing inspiration from the subtle shades of travertine stone, this range offers five distinct colours, each telling its own story of timeless beauty. With a variety of styles, including an undulating Wave pattern, Travertine Sense adds a touch of contemporary sophistication to traditional aesthetics. Versatility is at its core, as the collection features different formats, from impressive large slabs to functional Grip finishes. Whether indoors or outdoors, these surfaces seamlessly integrate into a range of spaces, bringing a sense of quiet elegance and practicality.

15 COLOURS | 10 SIZES | 4 FINISH



Travertine Sense
Ebur Vein

Face 1

Face 2

Face 3

Face 4

Face 4

Face 4





Travertine Sense - Santa Caterina Vein (wall) | Santa Caterina Cross (floor)

Travertine Sense
Santa Caterina Vein

Face 1

Face 2

Face 3

Face 4

Face 5

Face 6





PETRA
PREMIUM EXTRA VIRGIN
OLIVE OIL
100% KORONEIKI VARIETY
500ML | 17FL.OZ
GREEK PRODUCT

Travertine Sense


Latte Vein

Face 1

Face 2

Face 3

Face 4





Travertine Sense - Latte Cross

Travertine Sense

Latte Cross

Face 1

Face 2

Face 3

Face 4





Travertine Sense - Platino Vein (wall) | Platino Cross (floor)

Travertine Sense
Platino Vein

Face 1

Face 2

Face 3

Face 4

Face 3

Face 4



Travertine Sense

Titanio Vein

Face 1

Face 2





Travertine Sense

Mist Vein

Face 1

Face 2





Travertine Sense
Ebur Wave



Travertine Sense
Santa Caterina Wave





Travertine Sense
Platino Wave



Travertine Sense
Ebur Cross





Travertine Sense
Santa Caterina Cross



Travertine Sense
Platino Cross





Travertine Sense
Titanio Cross



Travertine Sense
Mist Cross



Colours



Ebur Vein



Santa Caterina
Vein



Platino Vein



Titanio Vein



Mist Vein

Colours



Latte Vein



Latte Cross

Colours



Ebur Wave



Santa Caterina
Wave



Platino Wave

Colours



Ebur Cross



Santa Caterina Cross



Platino Cross



Titanio Cross



Mist Cross

Colours

COLOUR

Latte Cross | Latte Vein

Ebur Vein | Latte Cross | Latte Vein | Mist Vein | Platino Vein | Santa Caterina Vein | Titanio Vein

Latte Vein

Latte Cross | Latte Vein

Titanio Vein

Latte Cross

Mist Cross | Mist Vein | Titanio Cross | Titanio Vein

Mist Vein | Titanio Cross | Titanio Vein

Latte Cross

Ebur Cross | Platino Cross | Santa Caterina Cross

Mist Cross | Mist Vein | Titanio Cross

Mist Vein | Titanio Vein

Latte Cross | Latte Vein

Mist Cross | Mist Vein | Titanio Cross | Titanio Vein

Latte Vein

Latte Cross | Latte Vein

Ebur Vein | Ebur Wave | Platino Vein | Platino Wave | Santa Caterina Vein | Santa Caterina Wave

Mist Vein | Titanio Vein

Latte Cross

Mist Cross | Titanio Cross

Mist Cross | Mist Vein | Titanio Cross | Titanio Vein

Ebur Cross | Platino Cross | Santa Caterina Cross

Mist Cross | Titanio Cross

Mist Cross | Mist Vein | Titanio Cross | Titanio Vein

Latte Vein

Latte Cross | Latte Vein

FINISH

Natural

Natural

Polished

Natural

Natural

Natural

Natural

Structured

Structured

Natural

Grip

Grip

Natural

Natural

Polished

Structured

Natural

Natural

Natural

Grip

Natural

Natural

Grip

Natural

Natural

Natural

SIZE(MM)

1600 X 3200 X 6

1200 X 2780 X 6

1200 X 2780 X 6

900 X 1800 X 10

800 X 1600 X 9

1200 X 1200 X 9.5

1200 X 1200 X 9

1200 X 1200 X 9

1200 X 1200 X 9.5

1200 X 1200 X 6

600 X 1200 X 20

600 X 1200 X 9

600 X 1200 X 9.5

600 X 1200 X 9

600 X 1200 X 9.5

600 X 1200 X 9.5

600 X 1200 X 8.5

600 X 1200 X 6

900 X 900 X 9.5

800 X 800 X 20

800 X 800 X 9

800 X 800 X 8.5


600 X 600 X 20

600 X 600 X 9

600 X 600 X 9.5

300 X 600 X 9.5

Size Guide (mm)





Travertine Sense - Ebur Vein

Special Pieces

COLOUR

Ebur Cross | Ebur Vein | Platino Cross | Platino Vein | Santa Caterina Cross

Santa Caterina Vein

Ebur Cross | Platino Cross | Santa Caterina Cross

Mist Cross | Mist Vein | Titanio Cross | Titanio Vein

Mist Cross | Mist Vein | Titanio Cross | Titanio Vein

Latte Cross | Latte Vein

Ebur Cross | Platino Cross | Santa Caterina Cross

FINISH

Natural

Natural

Natural

Natural

Natural

Natural

SIZE(MM)

80 X 1200 X 6

80 X 800 X 8.5

72 X 800 X 9

72 X 600 X 9

70 X 600 X 9.5

80 X 120 X 8.5

DETAIL

Skirting Tile

Skirting Tile

Skirting Tile

Skirting Tile

Skirting Tile


Skirting Tile

Technical Details

PHYSICAL PROPERTIES	STANDARD OF TEST	REQUIRED VALUE	MANUFACTURERS MEAN VALUES
Length And Width	ISO 10545-2	± 0.6% Max	± 0.6%
Thickness	ISO 10545-2	± 5% Max	± 5%
Linearity	ISO 10545-2	± 0.5% Max	± 0.5%
Wedging	ISO 10545-2	± 0.5% Max	± 0.5%
Warpage	ISO 10545-2	± 0.5% Max	± 0.5%
Water Absorption	ISO 10545-3	≤ 0.5 %	≤ 0.1%
Deep Abrasion Resistance	ISO 10545-6	≤ 175 Mm ³	Conforms
Coefficient Of Linear Thermal Expansion	ISO 10545-8	≤ 9x10 ⁻⁶ °C ⁻¹	Conforms
Resistance To Thermal Shocks	ISO 10545-9	Testing Method Available	Resistant
Frost Resistance	ISO 10545-12	Must Not Produce Noticeable Alteration To Surface	Conforms
Chemical Resistance	ISO 10545-13	Testing Method Available	Conforms
Stain Resistance	ISO 10545-14	Testing Method Available	Conforms
Colour Resistance To Light	DIN 51094	Must Not Produce Noticeable Colour Variation	Conforms

Shade Tone Variance

Shade, texture and tone can vary from piece to piece within a single tile production run. V1 shade tone variation has little or no change from piece to piece where a V4 might have a substantial variety of shade, texture and tone variation.



VARIANCE RATING	DESCRIPTION
V1	Uniform Appearance
V2	Slight Variation
V3	Moderate Variation
V4	Substantial Variation

COLOUR	VARIANCE
Ebur Cross	V2
Ebur Vein	V2
Ebur Wave	V2
Platino Cross	V2
Platino Vein	V2
Platino Wave	V2
Santa Caterina Cross	V2
Santa Caterina Vein	V2
Santa Caterina Wave	V2

Ramp Test Values (DIN 51130)

DIN Standard Ramp Testing (DIN 51130) is an alternative to Pendulum Testing and generally categorised as an 'off-site' activity because of the size and complexity of the equipment required to carry out the test. The Slip Resistance Values (RSV) are factory gate values (based on supplied tiles) and categorised using the Ramp Test (DIN 51130) method which is commonly used by European factories. In this method, a lubricated inclined platform is adjusted to a gradually increasing gradient, and the angle is measured at which a person walking on it slips.

R RATING VALUE	FRICITION
R9	Minimal
R10	Normal
R11	Good
R12	Good
R13	Very High

COLOUR	FINISH/STYLE	R RATING VALUE	FRICITION
Ebur Cross	Natural	R10	Normal
Ebur Vein	Natural	R10	Normal
Ebur Wave	Natural	R10	Normal
Latte Cross	Structured	R11	Good
Latte Vein	Structured	R11	Good
Mist Cross	Grip	R11	Good
Mist Cross	Natural	R10	Normal
Mist Cross	Natural	R9	Minimal
Mist Vein	Grip	R11	Good
Mist Vein	Natural	R10	Normal
Mist Vein	Natural	R9	Minimal
Mist Vein	Structured	R11	Good
Platino Cross	Natural	R10	Normal
Platino Vein	Natural	R10	Normal
Platino Wave	Natural	R10	Normal
Santa Caterina Cross	Natural	R10	Normal
Santa Caterina Vein	Natural	R10	Normal
Santa Caterina Wave	Natural	R10	Normal
Titanio Cross	Grip	R11	Good
Titanio Cross	Natural	R10	Normal
Titanio Cross	Natural	R9	Minimal
Titanio Cross	Structured	R11	Good
Titanio Vein	Grip	R11	Good
Titanio Vein	Natural	R10	Normal
Titanio Vein	Natural	R9	Minimal
Titanio Vein	Structured	R11	Good



Travertine Sense - Ebur Vein (wall) | Ebur Wave (wall) | Ebur Cross (floor)

Environmental Certification



LEED® certification provides independent, third party verification that a building project meets the highest green building and performance measure. All certified projects receive a LEED® plaque, which is nationally recognised symbol demonstrating that a building is environmentally responsible, profitable and a healthy place to live and work. The environmental characteristics have been evaluated and found according to the requirements of content of recycled material for environmental assessment according to LEED® criteria. These products contribute to the increase in the LEED® rating of buildings where they are used.




The EU Ecolabel helps you identify products and services that have a reduced environmental impact throughout their life cycle, from the extraction of raw material through to production, use and disposal. Recognised throughout Europe, EU Ecolabel is a voluntary label promoting environmental excellence which can be trusted. Ecolabel certification applies to building products such as ceramic tiles for residential and public flooring and wall-covering. The commission in charge of the certification system measures the environmental impact caused by the entire productive cycle; in the case of ceramic tiles, the verification starts from raw material quarrying through to manufacturing, distribution, installation and their final disposal. Our factories conform and are certified by the European Community standard Ecolabel and the production process is in complete harmony with the Ecolabel certification.



GREENGUARD Certification ensures that a product meets stringent standards for minimal emissions of volatile organic compounds (VOCs) into indoor air. This program provides assurance that products designed for indoor use adhere to strict chemical emissions limits, fostering the creation of healthier interiors. Manufacturers with GREENGUARD Certification gain credibility for their sustainability claims, supported by empirical technical data from an unbiased third-party organisation. The GREENGUARD Certification Program instills confidence by ensuring that indoor products meet strict chemical emissions limits, contributing to the creation of healthier interior spaces. This empowers manufacturers to produce and customers to identify products with low chemical emissions, thereby supporting air quality and environmental well-being.



NSF® has facilitated the development of more than 75 standards and protocols for sanitary food equipment, and has certified thousands of products as safe to use in restaurant and commercial kitchen settings. NSF® food equipment standards include requirements for material safety, design, construction and product performance. The products conform to the requirements of NSF/ANSI Standard 51 – Food Equipment Materials. NSF/ANSI 51 establishes minimum public health and sanitation requirements for materials and finishes used in the manufacture of commercial foodservice equipment.



An Environmental Product Declaration (EPD) is a concise document that transparently communicates the environmental performance of a product throughout its life cycle. It provides comprehensive information about the product's environmental impact, including aspects such as raw material extraction, production processes, energy consumption, and emissions. EPDs are based on standardised methodologies and enable consumers, businesses, and policymakers to make informed decisions by considering the environmental aspects of a product in a systematic and comparable way.

P O R C E L A I N T I L E S

North London Showroom
23 Temple Fortune Parade
Finchley Road
London NW11 0QS
020 3141 3337

www.porcelaintiles.co.uk

South London Showroom
88 High Street Wimbledon
London SW19 5EG
020 3141 3337

enquiry@porcelaintiles.co.uk